

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	(fred.in. and gustavson.in.) or (john.in. and gunnels.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 13:53
L2	22	cache\$1 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 13:53
L3	13	("4858114" "5051745" "5142469" "5193174" "5212794" "5237689" "5257379" "5299322").PN. OR ("5944819").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/25 13:58
L4	0	(level adj 3) and kernel\$1 and routine\$1 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 13:58
L5	17	((level adj 3) or L3 or L-3) and kernel\$1 and routine\$1 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 13:59
L6	10	((level adj 3) or L3 or L-3) and cache\$1 and routine\$1 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:00
L7	2	"708"/\$.cls. and @ad<"20030929" and (matrix or matrices) and (multiplication or multiplier\$1) and cache\$1 and ((level adj 3) or L3 or L-3 or (L adj "3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:02

EAST Search History

L8	47	fred and gustavson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:02
L9	16	(matrix or matrices) and (multiplication or multiplier\$1) and cache\$1 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:02
S1	29	(fred.in. and gustavson.in.) or (john. in. and gunnels.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:28
S2	3	S1 and (select\$3 and (matrix or matrices) and plurality).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:28
S3	2	"5099447".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:30
S4	2	"7031994".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:32
S5	344	select\$3 and (matrix or matrices) and @ad<"20030929" and cache\$1 and multiplication and subroutine\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:41
S6	21	cache\$1 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:41

EAST Search History

S7	7	S6 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:56
S8	29	(fred.in. and gustavson.in.) or (john.in. and gunnels.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:56
S9	21	cache\$1 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 13:53
S10	7	S9 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:02
S11	0	("L1" adj cache\$1) and @ad<"20030929" and (matrix or matrices) and ("6" or six) and LAPACK and BIAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:04
S12	0	("L1" adj cache\$1) and @ad<"20030929" and (matrix or matrices) and LAPACK and BIAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:04
S13	0	("L1" adj cache\$1) and @ad<"20030929" and (matrix or matrices) and LAPACK and BIAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:05
S14	0	(cache adj kernel) and @ad<"20030929" and (matrix or matrices) and LAPACK	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:05

EAST Search History

S15	0	(cache adj kernel) and @ad<"20030929" and (matrix or matrices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:07
S16	3	"6601080".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:07
S17	4	(LAPACK or (linear adj algebra adj pack\$3)) and BLAS and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:12
S18	4	("5175837" "5717893" "5754888" "5790828").PN. OR ("6357041").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 17:11
S19	0	((("6" or six) adj (matrix adj subroutine\$1)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 17:12
S20	4141964	((("6" or six) adj\$3 (matrix adj subroutine\$1)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 17:12
S21	64	(LAPACK or (linear adj algebra adj pack\$3)) and S20 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:19
S22	11	S8 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:13
S23	8	(LAPACK or (linear adj algebra adj pack\$3)) and (matrix or matrices) and cache\$1 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:19
S24	12	("4858114" "5051745" "5142469" "5193174" "5212794" "5237689" "5257379" "5299322").PN. OR ("5944819").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/25 13:53

EAST Search History

S25	29	(fred.in. and gustavson.in.) or (john.in. and gunnels.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:28
S26	12	select\$3.clm. and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:29

Google

fred gustavson kernel routine pdf

Search

Advanced Search
Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 18,600 for fred gustavson kernel routine pdf. (0.14 seconds)

Superscalar GEMM-based Level 3 BLAS - The On-going Evolution of a ...

This DGEMM routine contains inline what we call a level kernel routine, ... Fred

Gustavson, André Henriksson, Isak Jonsson, Bo Kågström, Per Ling ...

citeseer.ist.psu.edu/362476.html - 21k - [Cached](#) - [Similar pages](#)

[PDF] Jack Dongarra, Sven Hammarling and Susan Ostrouchov December 12, 1995

File Format: PDF/Adobe Acrobat - [View as HTML](#)

All kernel routines should have an alternate entry point at exactly the same location

Fred Gustavson of IBM presented a talk on the implementation and ...

www.netlib.org/lapack/lawnspdf/lawn109.pdf - [Similar pages](#)

[PDF] Summary of these talks Cell Architecture

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Fred Gustavson, assisted by Lars Karlsson. Umea Univ. || class. May 16 & 21, 2007

NDS and kernel routines go hand in hand. This is the A & A principle ...

www.cs.umu.se/kurser/TDBD08/VT07/utdelat/Fred4.pdf - [Similar pages](#)

[PDF] High Performance Cholesky Factorization via Blocking and Recursion ...

level 3 kernel routines. This method has the benefit of being transparent Fred

Gustavson and Isak Jonsson: Minimal Storage High Performance Cholesky ...

www.springerlink.com/index/4449PM8KV8WXHV3A.pdf - [Similar pages](#)

[PDF] LAWRA Workshop Linear Algebra with Recursive Algorithms http ...

Fred Gustavson and Jerzy Wasniewski. The second important issue is that ... are so-called kernel routines, see [1], and on IBM platforms they are producible ...

www.springerlink.com/index/CLPGRHEWAU20471F.pdf - [Similar pages](#)

[[More results from www.springerlink.com](#)]

[PDF] IBM Research Report

File Format: PDF/Adobe Acrobat

Fred Gustavson. IBM Research Division. Thomas J. Watson Research Center Each kernel routine is purely local with no communication involved. ...

domino.research.ibm.com/library/cyberdig.nsf/

papers/D9AB75B4A1DF91E88525735A005C734C/\$File/rc24342.pdf - [Similar pages](#)

[PDF] A distributed packed storage for large dense parallel in-core ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ScaLAPACK kernel routines. The good results that we obtained encourage us to ... wish to express gratitude to Fred Gustavson (IBM T. J. Watson Research ...

www.cerfacs.fr/algor/reports/2005/TR_PA_05_30.pdf - [Similar pages](#)

[PDF] High-Performance Implementation of the Level-3 BLAS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the Gebp kernel routine. In subsequent sections we will show how other level-3 BLAS

[4] Erik Elmroth, Fred Gustavson, Isak Jonsson, and Bo Kagstrom. ...

www.cs.utexas.edu/ftp/pub/techreports/tr06-23.pdf - [Similar pages](#)

[PDF] A framework for high-performance matrix multiplication based on ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

These kernel routines operate on small blocks that fit in the Fred Gustavson.

Recursion leads to automatic variable blocking for dense linear algebra ...

www.cs.utexas.edu/~vkv/pubs/valsalam.ccpe02.pdf - [Similar pages](#)

[PDF] Minimal Data Copy For Dense Linear Algebra Factorization

File Format: PDF/Adobe Acrobat - [View as HTML](#)

<http://www.google.com/search?hl=en&q=fred+gustavson+kernel+routine+pdf>

9/25/07

Fred G. Gustavson. IBM's T. J. Watson Research Center, Yorktown Heights, NY 10598, USA, ... substitute for DGEMM, e.g. its analogous L1 **kernel routine**, ...
www.hpc2n.umu.se/para06/papers/paper_217.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



fred gustavson kernel routine pdf

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

fred gustavson optimal kernel routine pdf

Search

Advanced Search

Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 13,900 for **fred gustavson optimal kernel routine pdf**. (0.11 seconds)**[PDF] Minimal Data Copy For Dense Linear Algebra Factorization**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Fred G. Gustavson. IBM's T. J. Watson Research Center, Yorktown Heights, NY 10598, USA, ... substitute for DGEMM, e.g. its analogous L1 **kernel routine**, ...
www.hpc2n.umu.se/para06/papers/paper_217.pdf - [Similar pages](#)

[PDF] Jack Dongarra, Sven Hammarling and Susan Ostrouchov December 12, 1995File Format: PDF/Adobe Acrobat - [View as HTML](#)

All **kernel routines** should have an alternate entry point at exactly the same location
Fred Gustavson of IBM presented a talk on the implementation and ...
www.netlib.org/lapack/lawnspdf/lawn109.pdf - [Similar pages](#)

[PDF] IBM Research Report

File Format: PDF/Adobe Acrobat

Algorithms with Near-**Optimal** Scheduling. **Fred Gustavson**. IBM Research Division
 Each **kernel routine** is purely local with no communication involved. ...
[domino.research.ibm.com/library/cyberdig.nsf/papers/D9AB75B4A1DF91E88525735A005C734C/\\$File/rc24342.pdf](http://domino.research.ibm.com/library/cyberdig.nsf/papers/D9AB75B4A1DF91E88525735A005C734C/$File/rc24342.pdf) - [Similar pages](#)

[PDF] AJaPACK: Experiments in Performance Portable Parallel Java ...

on performance of each generated **kernel routine**, and [14] **Fred G. Gustavson**.
 Recursion leads to automatic variable blocking for dense linear-algebra ...
portal.acm.org/ft_gateway.cfm?id=337529&type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

[PDF] A distributed packed storage for large dense parallel in-core ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

ScaLAPACK **kernel routines**. The good results that we obtained encourage us to ... wish to
 express gratitude to **Fred Gustavson** (IBM T. J. Watson Research ...
www.cerfacs.fr/algor/reports/2005/TR_PA_05_30.pdf - [Similar pages](#)

[PDF] A framework for high-performance matrix multiplication based on ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

These **kernel routines** operate on small blocks that fit in the **Fred Gustavson**.
 Recursion leads to automatic variable blocking for dense linear algebra ...
www.cs.utexas.edu/~vkv/pubs/valsalam.ccpe02.pdf - [Similar pages](#)

[PDF] High-Performance Implementation of the Level-3 BLASFile Format: PDF/Adobe Acrobat - [View as HTML](#)

the Gebp **kernel routine**. In subsequent sections we will show how other level-3 BLAS
 [4] Erik Elmroth, **Fred Gustavson**, Isak Jonsson, and Bo Kagstrom. ...
www.cs.utexas.edu/ftp/pub/techreports/tr06-23.pdf - [Similar pages](#)

Method and structure for producing high performance linear algebra ...

Gustavson, Fred Gehrung (Briarcliff Manor, NY, US) [0059] Selecting One Level 3 L1
Kernel Routines for General Matrix Multiplication from Six Possible ...
www.freepatentsonline.com/20050071411.html - 57k - [Cached](#) - [Similar pages](#)

High Performance Cholesky Factorization via Blocking and Recursion ...

Algorithm BPC only calls DGEMM and level 3 **kernel routines**. ... @article
 {gustavson01high, author = "**Fred Gustavson** and Isak Jonsson", title = "High ...
citeseer.ist.psu.edu/482321.html - 21k - [Cached](#) - [Similar pages](#)

[PDF] Information om seminarier och högre undervisning i matematiska ...File Format: PDF/Adobe Acrobat - [View as HTML](#)
<http://www.google.com/search?hl=en&q=fred+gustavson+optimal+kernel+routine+pdf>

Fred G. Gustavson, IBM T. J. Watson Research Center, Yorktown for Level 3 BLAS are
so-called **kernel routines** and on IBM platforms they are producible ...
www.math.kth.se/braket/2003/031128_nr38.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

fred gustavson optimal kernel routine

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

fred gustavson optimal kernel routine pdf

Search

Advanced Search
Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 18,600 for **fred gustavson kernel routine pdf**. (0.14 seconds)**Superscalar GEMM-based Level 3 BLAS - The On-going Evolution of a ...**This DGEMM **routine** contains inline what we call a level **kernel routine**, ... **Fred****Gustavson**, André Henriksson, Isak Jonsson, Bo Kågström, Per Ling ...citeseer.ist.psu.edu/362476.html - 21k - [Cached](#) - [Similar pages](#)**[PDF] Jack Dongarra, Sven Hammarling and Susan Ostrouchov December 12, 1995**File Format: PDF/Adobe Acrobat - [View as HTML](#)All **kernel routines** should have an alternate entry point at exactly the same location**Fred Gustavson** of IBM presented a talk on the implementation and ...www.netlib.org/lapack/lawnspdf/lawn109.pdf - [Similar pages](#)**[PDF] Summary of these talks Cell Architecture**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Fred Gustavson**, assisted by Lars Karlsson, Umea Univ. || class. May 16 & 21, 2007NDS and **kernel routines** go hand in hand. This is the A & A principle ...www.cs.umu.se/kurser/TDBD08/VT07/utdelat/Fred4.pdf - [Similar pages](#)**[PDF] High Performance Cholesky Factorization via Blocking and Recursion ...**level 3 **kernel routines**. This method has the benefit of being transparent **Fred****Gustavson** and Isak Jonsson. Minimal Storage High Performance Cholesky ...www.springerlink.com/index/4449PM8KV8WXHV3A.pdf - [Similar pages](#)**[PDF] LAWRA Workshop Linear Algebra with Recursive Algorithms http ...****Fred Gustavson** and Jerzy Wasniewski. The second important issue is that ... are so-called **kernel routines**, see [1], and on IBM platforms they are producible ...www.springerlink.com/index/CLPGRHEWAU20471F.pdf - [Similar pages](#)[[More results from www.springerlink.com](#)]**[PDF] IBM Research Report**

File Format: PDF/Adobe Acrobat

Fred Gustavson, IBM Research Division, Thomas J. Watson Research Center Each **kernel routine** is purely local with no communication involved. ...

domino.research.ibm.com/library/cyberdig.nsf/

papers/D9AB75B4A1DF91E88525735A005C734C/\$File/rc24342.pdf - [Similar pages](#)**[PDF] A distributed packed storage for large dense parallel in-core ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)ScaLAPACK **kernel routines**. The good results that we obtained encourage us to ... wish to express gratitude to **Fred Gustavson** (IBM T. J. Watson Research ...www.cerfacs.fr/algor/reports/2005/TR_PA_05_30.pdf - [Similar pages](#)**[PDF] High-Performance Implementation of the Level-3 BLAS**File Format: PDF/Adobe Acrobat - [View as HTML](#)the Gebp **kernel routine**. In subsequent sections we will show how other level-3 BLAS[4] Erik Elmroth, **Fred Gustavson**, Isak Jonsson, and Bo Kagstrom. ...www.cs.utexas.edu/ftp/pub/techreports/tr06-23.pdf - [Similar pages](#)**[PDF] A framework for high-performance matrix multiplication based on ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)These **kernel routines** operate on small blocks that fit in the **Fred Gustavson**.

Recursion leads to automatic variable blocking for dense linear algebra ...

www.cs.utexas.edu/~vkv/pubs/valsalam.ccpe02.pdf - [Similar pages](#)**[PDF] Minimal Data Copy For Dense Linear Algebra Factorization**File Format: PDF/Adobe Acrobat - [View as HTML](#)<http://www.google.com/search?hl=en&q=fred+gustavson+kernel+routine+pdf>

Fred G. Gustavson. IBM's T. J. Watson Research Center, Yorktown Heights, NY 10598,
USA, ... substitute for DGEMM, e.g. its analogous L1 **kernel routine**, ...
www.hpc2n.umu.se/para06/papers/paper_217.pdf - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



fred gustavson kernel routine pdf

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)